
VAPORTEK TECHNICAL DATA

Breasy Odor Neutralizer



*Membrane Aroma varieties available: Classic Neutral, Berry, Cherry, Forest, Herbal, Lavender, Lemon, Mint, Orchard, Potpourri, Vanilla, Cinnamon and Winter.

PURPOSE

Breasy odor neutralizer is an innovative way to treat malodors in high-traffic, public areas where its unobtrusive shape and convenient, ceiling-mount design provide effective and economical odor control over a long period.

PLACEMENT

Breasy is designed for wall or ceiling mounting with easy-touse, double-backed tape. Careful construction enhances airflow over the patented Vaportek air treatment membrane. As air flows over the surface of the membrane, a non-toxic vapor is released at a controlled rate to counteract a wide variety of common malodor problems. Suggested areas of use include waiting rooms, dressing rooms, smoking lounges, entryways, hallways, storage areas, restrooms and lobby areas.

FEATURES AND BENEFITS

Superior to wall cabinet odor controllers, Breasy is economical, non-electric and uniquely resistant to vandalism. It's quickly refillable—just slide out the empty membrane and replace with a fresh one. Breasy requires no batteries, fans, keys or periodic adjustments. Full instructions are included with each unit. Replacement membranes are individually packaged, and are available in several AromaVision varieties. All formulations feature natural ingredients, and the membranes are non-toxic and spill-proof.


SELECTED SPECIFICATIONS

- Housing dimensions: 5.5" (14 cm) wide x 5.75" (15 cm) long x 1" (3 cm) deep; individually wrapped.
- Come with instructions and two strips of high-strength mounting tape installed. (Replacement membranes sold separately.)
- Durable off-white plastic housing with engraved recycling indicators.
- · Made in the USA.





...the leader in air treatment technology Sussex, WI 53089



Airports

Bus and Rail Stations

Arenas

Restrooms

Bingo Halls

Meeting Rooms

Lobbies

Storage Areas

BREASY ODOR NEUTRALIZER

Vaportek introduces the innovative new Breasy odor neutralizer.

Featuring Vaportek's exclusive membrane technology, Breasy is perfect for high traffic areas where its unobtrusive shape and convenient ceiling mount design provide effective and economical odor control over a long period. Superior to wall cabinet odor controllers, Breasy is non-electric and uniquely resistant to vandalism. Easy membrane replacement requires no keys or adjustment.



Breasy odor neutralizer

Lasting air freshness with simplicity in mind.

Vaportek's new Breasy odor neutralizer is an innovative new way to treat malodors in public spaces. Designed for easy mounting and servicing, Breasy is quickly refillable with Vaportek's exclusive non-toxic odor controller membranes. Simply slide out the empty membrane and replace with a fresh one. No batteries or fans are required, and no periodic adjustment is necessary.

Careful construction enhances airflow over the patented Vaportek air treatment membrane. As air flows over the surface of the membrane, a non-toxic vapor is released at a controlled rate to counteract a wide variety of common malodor problems. High output replaceable membranes last for 30 days or more in typical use.

Greasy may be wall or ceiling mounted with easy to use double backed tape. Full instructions are included with each unit. Replacement membranes are individually packaged, and are available in Vaportek Neutral, or Vaportek

Aromavision aromas. All formulations feature natural ingredients in an alcohol free, spill-proof membrane. Breasy meets all current VOC regulations and safety data is available.

Breasy represents a breakthrough in simplicity and effectiveness:

- New "Stim line" design; only one inch of clearance is needed for mounting.
- New "High Output" membrane: double the output of our standard membrane

- New "Aromavision" replacement membranes provide non-toxic, alcohol free aromas to meet any need.
- New Versatility; designed for ceiling or wall mounting for increased security against vandalism in public places.
- Economical: no batteries, no electricity needed.
 Uses natural air flow to circulate vapor.
- Minimal Waste Generation; empty membranes are small envelopes, no pressurized cans or jelly cups to discard. Minimal storage space required.

Suggested Areas of Use:

- ▼ Waiting Rooms
- Dressing Rooms
- ▼ Smoking Lounges
- ▼ Entryways
- ▼ Rest Rooms
- ▼ Lobby areas

Specifications:

Unit Dimensions: 5.5" (14CM) wide x 5.75" (15CM) long by 1"(3CM) deep, individually wrapped.

Housing Weight: approximately 50 grams.

Comes with instructions and two strips of high strength mounting tape. (Replacement membranes sold separately.)

Durable light gray plastic housing with recycling indicators engraved.

Breasy Housing Order Item: #90-9800

Refill Membranes Available in Vaportek neutral and Aromavision aromas.

Breasy, one of many safe and effective Vaportek air treatment products. Ask your Vaportek Authorized Distributor about the full line of Vaportek products.



...the leader in air treatment technology 1-800-237-6367 / fax: 1-414-246-5065 / Sussex: WI 53089 U.S.A.